



Author Correction: Sensing the DNA-mismatch tolerance of catalytically inactive Cas9 via barcoded DNA nanostructures in solid-state nanopores

Correction to: *Nature Biomedical Engineering*
<https://doi.org/10.1038/s41551-023-01078-2>.
Published online 7 August 2023.

<https://doi.org/10.1038/s41551-023-01099-x>

Published online: 4 September 2023



Sarah E. Sandler , Nicole E. Weckman , Sarah Yorke , Akashaditya Das, Kaikai Chen , Richard Gutierrez & Ulrich F. Keyser

In the version of this article initially published, the surname of Richard Gutierrez appeared as “Guitierrez”. The spelling has been corrected in the HTML and PDF versions of the article.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article’s Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article’s Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2023